





Job Name: _____

Color: _____


Date: _____

Gauge: _____


X =



PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	170 LBS/SF
0.040" ALUMINUM [ASTM B209]	0.040" ALUMINUM [ASTM B209]	140 LBS/SF



X=




Job Name: _____

Color: _____

Date: _____

Gauge: _____

PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	210 LBS/SF
0.040" ALUMINUM [ASTM B209]	0.040" ALUMINUM [ASTM B209]	140 LBS/SF



X=

Y=

Z=




Job Name: _____

Color: _____

Date: _____

Gauge: _____

PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	310 LBS/SF
0.040" ALUMINUM [ASTM B209]	0.040" ALUMINUM [ASTM B209]	250 LBS/SF
20 OUNCE (0.027") COPPER [ASTM B370]	24 GAUGE (0.024") STAINLESS STEEL [ASTM A240]	220 LBS/SF





X=
Y=
Z=



Job Name: _____
Color: _____
Date: _____
Gauge: _____


PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	190 LBS/SF
22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	20 GAUGE (0.036") GALVANIZED STEEL [ASTM A653]	290 LBS/SF
0.040" ALUMINUM [ASTM B209]	0.040" ALUMINUM [ASTM B209]	160 LBS/SF
0.050" ALUMINUM [ASTM B209]	0.050" ALUMINUM [ASTM B209]	300 LBS/SF
20 OUNCE (0.027") COPPER [ASTM B370]	24 GAUGE (0.024") STAINLESS STEEL [ASTM A240]	150 LBS/SF



X=
Y=
Z=

Job Name: _____
Color: _____
Date: _____
Gauge: _____

PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	220 LBS/SF
0.040" ALUMINUM [ASTM B209]	0.050" ALUMINUM [ASTM B209]	300 LBS/SF



X=
Y=
Z=

Job Name: _____
Color: _____
Date: _____
Gauge: _____

PERIMETER EDGE MATERIAL	CLEAT MATERIAL	ANSI/SPRI ES-1*
24 GAUGE (0.024") GALVANIZED STEEL [ASTM A653]	22 GAUGE (0.030") GALVANIZED STEEL [ASTM A653]	160 LBS/SF
0.050" ALUMINUM [ASTM B209]	0.063" ALUMINUM [ASTM B209]	230 LBS/SF